

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
	:	Examiner: Pritham Prabhakher
MANABU SAKAKIBARA	)	
	:	Art Unit: 2622
Appl. No.: 10/702,425	)	
	:	Confirmation No.: 9398
Filed: November 7, 2003	)	
	:	
For: PROCESSING APPARATUS	)	
	:	
U.S. Patent No.: 7,336,310 B2	)	
	:	
Issued: February 26, 2008	)	July 30, 2008

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

ON COVER PAGE [56] REFERENCES CITED:

U.S. Patent Documents, "Kibo et al." should read --Kubo et al.--.

COLUMN 3:

Line 23, "are" should read --is--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/John A. Krause/

John A. Krause

Attorney for Patentee

Registration No. 24,613

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200

FCHS\_WS 2355622v1